

A great way to educate using apps and games on the go



RELIABLE TABLET

Prepared for the digital media consumption

Perfect size for more comfortable to hold



Multi-Position Stand

Built-In kickstand on the cover back side allowing the case to be place on a flat surface for better display and use



DUAL CAMERALENS






MULTI-TOUCH INTERACTION



IPS PANEL







ON-TO-GO FUNCTION (OTG)







Allow to connect USB device such as keyboard, mouse, USB flash drive and etc.

Connect with OTG compatible Smartphone / Tablet









Connect with Keyboard / Mouse / USB Flash Drive



Connect with MicroUSB Cable + AC External power

OTG compatible tablet





I/O OVERVIEW

Rear camera len Speakers





__Volume Button

Power
Button





Specifications

CPU/Graphics MTK 8168 Quad-core ARM® 2.0GHz Cortex-A53, Graphics Mali-G52 3EE MC1 800MHZ 3GLPDDR3 **EMCP** EMMC 32GB LCD 8" 800×1280, IPS **TP/Stylus** Support 5-points multi-touch, GGtype Capacitive multi-touch GLS3676 (COB) Front Camera: 2M(FF) Camera Sensor: GC2385 MIPI interface Rear Camera: 5M(FF) Sensor: GC5035 MIPI interface WiFi/BT/FM Wi-Fi 802.11a/b/g/n/ac ,1*1,2.4GHz/5.0GHz(Dual band) Bluetooth 5.0 G-sensor MXC665x 4000mAh 3.8V, 22.8Wh **Battery AC-Adapter** DC Outut:5V/2A 10W adapter(Micro USB cable 1M) Input Voltage:From 100~240VAC I/O Port 1×Micro USB 2.0,OTG port (Type B) 1×Micro SD card slot 1×Audio Combo jack 1×Micro HDMI Speaker &Mic Speaker:Build-in 2 Stereo Speakers, 1W, 8 Ohm MIC: Mic X1 Diemensions Body: 135.3*214*11.5mm Silicon cover (max.): 223*151*21mm Weight Body: 410g 580g (Body+Siliconcover+Pen) Certification CE(By request) (EMC,RF,Safety,GMS) CB(By request) FCC(By request) GMS(by request) Ruggedness Drop 70cm OS Android 11

• Thank You

- Sales@viper.pk
- UAN- +92 33 11 11 00 20